



THE JOURNAL OF THE

ROYAL SOCIETY OF MEDICINE

VOLUME 100, PART 1, 2007

ISSN 0954-6794

0954-6794(200701)100:1;1-0

DOI: 10.1111/j.1365-2796.2006.01666.x

© 2006 Blackwell Publishing Ltd

Printed in the United Kingdom

Typeset by the Royal Society of Medicine

Reproduction in any form without permission is prohibited

For further information, please contact the Royal Society of Medicine

11, St Andrews Place, Regents Park, London NW1 4NU, UK

Telephone: +44 (0)20 7634 8500 Fax: +44 (0)20 7634 8501

Email: rsmed@rsmed.ac.uk Website: www.rsmed.ac.uk

Subscription prices for institutions and individuals are available on request

Single copies of the journal are available for purchase

For a complete list of subscription prices, please contact the Royal Society of Medicine

11, St Andrews Place, Regents Park, London NW1 4NU, UK

Telephone: +44 (0)20 7634 8500 Fax: +44 (0)20 7634 8501

Email: rsmed@rsmed.ac.uk Website: www.rsmed.ac.uk

Reproduction in any form without permission is prohibited

For further information, please contact the Royal Society of Medicine

11, St Andrews Place, Regents Park, London NW1 4NU, UK

Telephone: +44 (0)20 7634 8500 Fax: +44 (0)20 7634 8501

Email: rsmed@rsmed.ac.uk Website: www.rsmed.ac.uk

Reproduction in any form without permission is prohibited

For further information, please contact the Royal Society of Medicine

11, St Andrews Place, Regents Park, London NW1 4NU, UK

Telephone: +44 (0)20 7634 8500 Fax: +44 (0)20 7634 8501

Email: rsmed@rsmed.ac.uk Website: www.rsmed.ac.uk

Reproduction in any form without permission is prohibited

For further information, please contact the Royal Society of Medicine

11, St Andrews Place, Regents Park, London NW1 4NU, UK

Telephone: +44 (0)20 7634 8500 Fax: +44 (0)20 7634 8501

Email: rsmed@rsmed.ac.uk Website: www.rsmed.ac.uk

Reproduction in any form without permission is prohibited

For further information, please contact the Royal Society of Medicine

11, St Andrews Place, Regents Park, London NW1 4NU, UK

Telephone: +44 (0)20 7634 8500 Fax: +44 (0)20 7634 8501

Email: rsmed@rsmed.ac.uk Website: www.rsmed.ac.uk

Reproduction in any form without permission is prohibited

For further information, please contact the Royal Society of Medicine

11, St Andrews Place, Regents Park, London NW1 4NU, UK

Telephone: +44 (0)20 7634 8500 Fax: +44 (0)20 7634 8501

Email: rsmed@rsmed.ac.uk Website: www.rsmed.ac.uk

Reproduction in any form without permission is prohibited

For further information, please contact the Royal Society of Medicine

11, St Andrews Place, Regents Park, London NW1 4NU, UK

Telephone: +44 (0)20 7634 8500 Fax: +44 (0)20 7634 8501

Email: rsmed@rsmed.ac.uk Website: www.rsmed.ac.uk

[illegible]

国家建筑装饰材料质量监督检测中心

检测数据一览表

序号	材料名称	规格	产地	检测项目	检测结果	备注
1	花岗岩	2000mm×3000mm	福建	抗压强度	125.5MPa	合格
2	花岗岩	2000mm×3000mm	福建	抗折强度	10.5MPa	合格
3	花岗岩	2000mm×3000mm	福建	吸水率	0.15%	合格
4	花岗岩	2000mm×3000mm	福建	耐磨性	0.15MPa	合格
5	花岗岩	2000mm×3000mm	福建	抗冻性	15次	合格
6	花岗岩	2000mm×3000mm	福建	放射性	0.15	合格
7	花岗岩	2000mm×3000mm	福建	抗冲击性	15J	合格
8	花岗岩	2000mm×3000mm	福建	抗老化性	15年	合格
9	花岗岩	2000mm×3000mm	福建	抗污染性	15天	合格
10	花岗岩	2000mm×3000mm	福建	抗划伤性	15次	合格
11	花岗岩	2000mm×3000mm	福建	抗变色性	15天	合格
12	花岗岩	2000mm×3000mm	福建	抗褪色性	15天	合格
13	花岗岩	2000mm×3000mm	福建	抗霉变性	15天	合格
14	花岗岩	2000mm×3000mm	福建	抗虫蛀性	15天	合格
15	花岗岩	2000mm×3000mm	福建	抗腐蚀性	15天	合格
16	花岗岩	2000mm×3000mm	福建	抗酸碱性	15天	合格
17	花岗岩	2000mm×3000mm	福建	抗盐碱性	15天	合格
18	花岗岩	2000mm×3000mm	福建	抗油污性	15天	合格
19	花岗岩	2000mm×3000mm	福建	抗水渍性	15天	合格
20	花岗岩	2000mm×3000mm	福建	抗烟熏性	15天	合格
21	花岗岩	2000mm×3000mm	福建	抗紫外线	15天	合格
22	花岗岩	2000mm×3000mm	福建	抗红外线	15天	合格
23	花岗岩	2000mm×3000mm	福建	抗电磁波	15天	合格
24	花岗岩	2000mm×3000mm	福建	抗辐射性	15天	合格
25	花岗岩	2000mm×3000mm	福建	抗噪声性	15天	合格
26	花岗岩	2000mm×3000mm	福建	抗振动性	15天	合格
27	花岗岩	2000mm×3000mm	福建	抗沉降性	15天	合格
28	花岗岩	2000mm×3000mm	福建	抗位移性	15天	合格
29	花岗岩	2000mm×3000mm	福建	抗变形性	15天	合格
30	花岗岩	2000mm×3000mm	福建	抗开裂性	15天	合格
31	花岗岩	2000mm×3000mm	福建	抗收缩性	15天	合格
32	花岗岩	2000mm×3000mm	福建	抗膨胀性	15天	合格
33	花岗岩	2000mm×3000mm	福建	抗翘曲性	15天	合格
34	花岗岩	2000mm×3000mm	福建	抗弯曲性	15天	合格
35	花岗岩	2000mm×3000mm	福建	抗扭曲性	15天	合格
36	花岗岩	2000mm×3000mm	福建	抗拉伸性	15天	合格
37	花岗岩	2000mm×3000mm	福建	抗压缩性	15天	合格
38	花岗岩	2000mm×3000mm	福建	抗剪切性	15天	合格
39	花岗岩	2000mm×3000mm	福建	抗扭转型	15天	合格
40	花岗岩	2000mm×3000mm	福建	抗疲劳性	15天	合格
41	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
42	花岗岩	2000mm×3000mm	福建	抗松弛性	15天	合格
43	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
44	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
45	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
46	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
47	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
48	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
49	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
50	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
51	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
52	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
53	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
54	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
55	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
56	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
57	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
58	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
59	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
60	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
61	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
62	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
63	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
64	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
65	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
66	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
67	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
68	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
69	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
70	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
71	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
72	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
73	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
74	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
75	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
76	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
77	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
78	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
79	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
80	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
81	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
82	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
83	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
84	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
85	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
86	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
87	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
88	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
89	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
90	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
91	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
92	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
93	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
94	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
95	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
96	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
97	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
98	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
99	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格
100	花岗岩	2000mm×3000mm	福建	抗蠕变性	15天	合格

号:202520035

共 3 页 第 3 页

样品名称

规格型号

符合

质

GB 668-2010

类<L3

2.9

端

max

11355-2021

≤0.3

<0.3 长度

符合

质

GB 668-2010

类<L3

2.9

符合

性能要求

GB/T 3800.13-

报告等级

合格

注意事项

[illegible]

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses in all cases. The number of correct responses was significantly higher than the number of incorrect responses in all cases. The number of correct responses was significantly higher than the number of incorrect responses in all cases.

● 2014年12月1日起, 凡在《中国好声音》总决赛中夺冠的歌手, 都将获得由《中国好声音》总冠名商提供的“好声音”同款越野车1辆或现金100万元, 奖金归属由歌手自由选择。

1. *Journal of the American Medical Association*, 2000; 284: 2689-2695.

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

Journal of Management Inquiry 18(4)

Model-Driven

I. The amount in \$ paid by the Government for the purchase of the land was:

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

第 9 章 第 10 節 委託検査受託検査

Age Group	Percentage
18-24	18%
25-34	22%
35-44	15%
45-54	12%
55-64	10%
65-74	8%
75-84	5%
85+	3%

the inspection within 15 days (Food and Drug Administration, 2000).

to the administration department which decided to

within 7 weeks of the onset of the disease, and the results are as follows:

6 Von oben kommt es zu einer ... 2011

...of the report. Our sample according to the regulation of our unit

unit will have the right to deal with the same

tion with countrywide Quality Supervision and Inspection, and cooperation with overseas insurance companies.

■ The Institute has kept closer connections with other research institutes and developed commun-

at your service and cooperation.

and cooperate. We are sincerely